
# 6" Universal Non-IC Housing

LAMP WATTAGE: (1) MAX. 150W R40/PAR38, 120W BR40, 85W BR30, 150W A21



#### **DESIGNED FOR 2" X 8" JOIST CONSTRUCTION**







(165 mm)



#### DESCRIPTION

Note:


Catalog Number:

Project Name:

Thermally protected, specification grade recessed housing. For new construction non-insulated ceilings or where insulation can be kept 3" from housing. Accommodates up to 150W R40/PAR38, 120W BR40, 85W BR30 and 150W A21 lamps. Furnished with preinstalled adjustable bar hangers. Junction box is provided with four 1/2" KOs, one 3/4" KO and four Romex knockouts with strain relief.

#### **SPECIFICATION**

- A. HOUSING High temperature painted 22 gauge cold rolled steel construction for maximum heat dissipation and rust protection. Adjusts vertically in plaster frame to accommodate ½" to 1-3/8" ceiling. Accommodate lamps up to 150W depending on trim used.
- B. SOCKET Medium base screw shell porcelain socket preinstalled on adjustable mounting bracket is designed to allow usage of different lamp types, as well as proper and consistent lamp positioning.
- C. BAR HANGERS Preinstalled bar hangers allow housing to be positioned and locked at any point within a 24" joist span. They can be positioned on either the long or short axis of the housing and can be shortened for 12" joists. They contain a double-headed real nail for 20° downward angle for better contact, and the 90° pivoting mounting plate makes installation fast and accurate. Bar hangers can fit onto T-Bar spline with additional slots and holes for special mounting methods if necessary.
- D. JUNCTION BOX UL listed for through-branch circuit wiring and has four 1/2" KOs, one 3/4" KO and four Romex knockouts with true pry-out slots and strain clamps.
- E. THERMAL PROTECTION Standard thermal protection device guards against improper installation, overlamping and misuse of insulation material.



eitë Lighting

Type:

BEAM DIA. MEASURED AT 50% OF NADIR F.C.

#### **FEATURES**

- Thermally Protected Non-IC housing.
- · Adjustable socket bracket.
- · Wire through junction box.
- · Preinstalled adjustable bar hanger.
- Dependable, favorable design and effortless installation.
- 7-1/4" height allows use in 2" x 8" joist construction.
- Special screw on the frame locks bar hangers in place which prevents the housing from any movement once installed.
- Preinstalled socket cap provides electrical contact protection against dust, paint and over spray.

#### OPTIONS AIR-SHUT

- · Gasket to prevent air flow from heated or air conditioned spaces.
- · Meets all national air flow requirements.

#### **UL AND C-UL LISTED**

- For Damp location
- For Feed-through wiring

ITEM SELECTOR: (Please check the boxes below for the option desired)

The Selection (I lease check the boxes below for the option desired)												
TYPE	AIR-SHUT	OPTION	TRIM TYPE						BAFFLE	REFLECTOR	TRIM/RING	GLASS
B6	□ AT	☐ (W) With quick connects	□ B630	□ B609	□ B605	□ B658	□ B634	□ B625	□ w	□ CL	□ WH	☐ Green
			□ B640	□ B619	□ B605L	□ B659	□ B649	□ B624	□Р	□ RG	□ BK	☐ Yellow
			□ B620	□ B646	□ B606	□ B675	☐ AF633	□ B681	□ SN	□ W	□ SN	□ Pink
			□ B631	□ B616	□ B606L	□ B676	□ B225	□ B687	□ CP	□ MB	□ СР	□ Brown
			□ B632	□ B663	□ B635	□ B612	□ B653	□ B682	□ BZ	□ BZ	□ CH	☐ Navy Blue
			☐ AF640	□ B664	□ B636	□ B645	□ B651	□ B693		□ CP	□ РВ	□ Orange
			☐ AF632	□ B673	□ B642	□ B648	□ B611	□ B694		□ SN	□ BZ	☐ Blue
			□ B610	□ B674	□ B641	□ B652	□ B647	□ B688		□ SHZ		☐ White
			□ B607	□ B683	□ B656	□ B603	□ B644	□ B685				□ Red
			□ B627	□ B684	□ B657	□ B604	□ B650	□ B696				
			□ B608	□ B601	□ B637	□ B615	□ B622	□ B689				
			□ B602	□ B601L	□ B643	□ B633	□ B623	□ B680				

#### **Specifications:**

**B6** 

BAFFLE

BAFFLE W WI P Bla SN Sa CP Co BZ Br REFLECTOR CL Chrome RG Gold TRIM/RING WH White Chrome Gold Satin Nickel Copper White Black SN CP CH Satin Nickel W MB BZ CP SN Copper Chrome Bronze Copper PB BZ Polish Brass

Sample of Catalog Number: B6-AT-W-B630-W-WH

\*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory,

## 6" Incandescent Trims

( LAMP WATTAGE: (1) MAX. 150W R40/PAR38, 120W BR40, 85W BR30, 150W A21)

Catalog Number:

Project Name:

Type:


elite Lighting

#### B630CP-CP METAL STEPPED BAFFLE R30/PAR30



**BAFFLE FINISH:** W, P, SN, CP, BZ

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ




#### B640SN-SN METAL STEPPED BAFFLE R40/PAR38



**BAFFLE FINISH:** W, P, SN, CP, BZ


TRIM/RING FINISH: WH, BK, SN, CP, CH, PB. B7



#### B620-ORANGE GLASS TRIM



GLASS FINISH: GREEN, YELLOW, PINK, BROWN, NAVY BLUE, ORANGE, WHITE BED




#### B631P-WH R30 Premium Phenolic Baffle / Metal Ring



BAFFLE FINISH:

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB. B7



#### B632W-WH R40 Premium Phenolic Baffle / Metal Ring



**BAFFLE FINISH:** W. P

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB. BZ



## AF640W-WH DEEP SELF FLANGE AIR-SHUT BAFFLE



AVAILABLE COLOR COMBINATIONS: W-WH, P-WH, SN-SN, CP-CP, BZ-BZ



#### AF632RG-WH AIR-SHUT REFLECTOR



AVAILABLE COLOR COMBINATIONS: CL-WH, CL-CH, RG-WH, W-WH, MB-WH, CP-CP, SN-SN



#### B610P-RG-WH CONE REFLECTOR/BAFFLE TRIM



**BAFFLE FINISH:** W. P

REFLECTOR FINISH:

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ




B607CP-WH REFLECTOR R/PAR30



REFLECTOR FINISH: CL, RG, W, MB, CP, SN, BZ, SHZ

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ



#### B627RG-WH REFLECTOR R40/PAR38



REFLECTOR FINISH: CL, RG, W, MB, CP, SN, BZ, SHZ

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ

CH,
20W MAX

#### B608CL-WH CONE REFLECTOR A19



**REFLECTOR FINISH:** CL, RG, W, MB, CP, SN, BZ, SHZ


TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, B7



#### B602SN EYEBALL



TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ



#### B609W-WH REGRESSED EYEBALL WITH BAFFLE



**BAFFLE FINISH:** W, P, SN, CP, BZ

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ

EYEBALL FINISH: WH, BK, SN, CP, CH, PB, BZ

#### B619RG-PB REGRESSED EYEBALL WITH REFLECTOR



REFLECTOR FINISH: CL, RG, W, MB, CP, SN

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ




#### B646P-WH EYEBALL WITH BAFFLE



**BAFFLE FINISH:** W. P

TRIM/RING FINISH:



#### 616W-WH

#### PAR20 REGRESSED EYEBALL W/ BAFFLE



**BAFFLE FINISH:** W, P, SN, CP, BZ

TRIM/RING FINISH: WH, BK, SN, CP, CH,

WH, BK, SN, CP, CH, PB, BZ

EYEBALL FINISH:



WH, BK, SN, CP, CH, PB, BZ



359° ROTATION


# **Incandescent Trims**

**Catalog Number: Project Name:** Type:

## Note: ( LAMP WATTAGE: (1) MAX. 150W R40/PAR38, 120W BR40, 85W BR30, 150W A21)

# PAR30 GIMBAL RING






**B664CP PAR38 GIMBAL RING** 



TRIM/RING FINISH: WH, BK, SN, CP, CH, PB. BZ




PAR30 BAFFLE W/ GIMBAL RING



**BAFFLE FINISH:** W, P, SN, CP, BZ

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ




PAR38 BAFFLE W/ GIMBAL RING



**BAFFLE FINISH:** W, P, SN, CP, BZ

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB. BZ




LIGHTING

B683CL-WH PAR30 REFLECTOR W/ GIMBAL RING



REFLECTOR FINISH: CL, RG, W, MB, CP, SN

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB. BZ




B684RG-WH PAR38 REFLECTOR W/ GIMBAL RING



REFLECTOR FINISH: CL, RG, W, MB, CP, SN

TRIM/RING FINISH: WH, BK, SN, CP, CH, PR R7




#### B601CP **METAL ALBALITE LENS**



LENS: ALBALITE

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB. BZ




#### B601L PLASTIC ALBALITE LENS



LENS: ALBALITE

TRIM/RING FINISH: WHITE PLASTIC




**B605PB METAL FRESNEL LENS** 





**FRESNEI** TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ

LENS:




### B605L

#### PLASTIC FRESNEL LENS



FRESNEI

TRIM/RING FINISH: WHITE PLASTIC



### **B606CP**

#### **METAL DROP OPAL LENS**



DROP OPAL

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ



### B606L

#### PLASTIC DROP OPAL LENS




DROP OPAL

TRIM/RING FINISH: WHITE PLASTIC



#### B635P-WH **BAFFLE W/ ALBALITE LENS**






B636W-WH **BAFFLE W/ FRESNEL LENS** 



**BAFFLE FINISH:** 

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB. BZ

W, P, SN, CP, BZ



#### B641RG-WH **REFLECTOR W/ ALBALITE LENS**



REFLECTOR FINISH: CL, RG, W, MB, CP, SN. SHZ

TRIM/RING FINISH: WH, BK, SN, CP, CH,




### B642CL-WH

### **REFLECTOR W/ FRESNEL LENS**





REFLECTOR FINISH: CL, RG, W, MB, CP, SN. SHZ







# **Incandescent Trims**

( LAMP WATTAGE: (1) MAX. 150W R40/PAR38, 120W BR40, 85W BR30, 150W A21)


**Catalog Number: Project Name:** Type: Note: eitë Lighting

## **BAFFLE W/ FROSTED DOME SHOWER LENS**













REFLECTOR FINISH: CL, RG, W, MB, CP, SN. SHZ

TRIM/RING FINISH: WH, BK, SN, CP, CH,




**BAFFLE W/ DROP OPAL LENS** 



B637W-WH

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ




## REFLECTOR W/ DROP OPAL LENS



REFLECTOR FINISH: CL, RG, W, MB, CP, SN. SHZ

TRIM/RING FINISH: WH, BK, SN, CP, CH,



#### B658CL-WH **REFLECTOR W/ PRISMATIC LENS**
















B659CL-WH REFLECTOR W/ FROSTED LENS



REFLECTOR FINISH: CL, RG, W, MB, CP, SN, SHZ

TRIM/RING FINISH: WH, BK, SN, CP, CH,



#### B675W-WH **BAFFLE W/ PRISMATIC LENS**



**BAFFLE FINISH:** W, P, SN, CP, BZ

TRIM/RING FINISH: WH, BK, SN, CP, CH,




#### B676W-WH **BAFFLE W/ FROSTED LENS**



**BAFFLE FINISH:** W, P, SN, CP, BZ


TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ



#### B612WH SMOOTH FROST DOME SHOWER LENS







#### **B645WH DESIGNER POINT SHOWER LENS**



LENS:

FROSTED/CLEAR TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ



#### B648WH **DESIGNER CONE SHOWER LENS**



LENS: FROSTED

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ






#### B652WH SMOOTH FROST SHOWER LENS





TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ




#### **B603CP** R/PAR30 OPEN TRIM

LENS:




TRIM/RING FINISH: WH, BK, SN, CP, CH, PB. BZ



#### B604PB **R40/PAR38 OPEN TRIM**




TRIM/RING FINISH: WH, BK, SN, CP, CH, PB. BZ



#### **B615WH DESIGNER PINHOLE**




TRIM/RING FINISH:



#### **B633WH** R/PAR30 SPLAY TRIM



TRIM/RING FINISH:





# **Incandescent Trims**

( LAMP WATTAGE: (1) MAX. 150W R40/PAR38, 120W BR40, 85W BR30, 150W A21)

**Catalog Number: Project Name:** Type: Note: eitë lighting

## **B634WH R40/PAR38 SPLAY TRIM**



TRIM/RING FINISH: WH, BK



B649RG-WH **PAR20 REFLECTOR** 



REFLECTOR FINISH: CL, RG, W, MB, CP. SN





TRIM/RING FINISH: WH, BK, SN, CP, CH,



**B225WH OPEN TRIM STEPPED BAFFLE** 




**DESIGNER BAFFLE WALL WASH PAR20** 

**R40/PAR38 WALL WASH REFLECTOR** 

BAFFLE FINISH:






#### B653W-WH **BAFFLE WITH BAFFLE**



TRIM/RING FINISH: WH, BK, SN, CP, CH, PB



**B651P-WH PAR20 STEPPED BAFFLE** 



**BAFFLE FINISH:** W, P, SN, CP, BZ

TRIM/RING FINISH: WH, BK



B611W-WH PAR30 BAFFLE WALL WASH



AVAILABLE COLOR COMBINATIONS: W-WH, P-WH, SN-SN,

CP-CP, BZ-BZ






W, P, SN, CP, BZ

B647P-WH

TRIM/RING FINISH:

B623MB-WH




B644RG-WH **DESIGNER REFLECTOR WALL WASH PAR20** 



REFLECTOR FINISH: CL, RG, W, MB, CP,

TRIM/RING FINISH:

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ




**B650WH** 

**DESIGNER WALL WASH** 



TRIM/RING FINISH:



B622RG-WH

R/PAR30 WALL WASH REFLECTOR



REFLECTOR FINISH: CL, RG, W, MB, CP, SN, SHZ




TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ



#### REFLECTOR FINISH: CL, RG, W, MB, CP, SN, SHZ

**COVER FINISH:** 

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ



#### B625CL-WH A-19 CONE REFLECTOR WALL WASH



B624W-CL

**CONE REFLECTOR BAFFLE WALL WASH** 



BAFFLE FINISH: W. P

COVER FINISH: WH

REFLECTOR FINISH:

TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ




#### B681CP-WH **SQUARE BAFFLE TRIM**



**BAFFLE FINISH:** 

TRIM/RING FINISH: WH, BK, SN, CP




B687CP-WH

**SQUARE REFLECTOR TRIM** 



REFLECTOR FINISH: CL, RG, W, MB, SN, CP

TRIM/RING FINISH: WH. BK. SN. CF






Submittal form is available @ www.iuseelite.com Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions subject to change without notice.

REV: MAXILUME-SPEC-05-26-2011

Catalog Number:	
Project Name:	Туре:
Note:	elite



BAF	BAFFLE		LECTOR	TRIM RING		
W	White	CL	Chrome	WH	White	
P	Black	RG	Gold	BK	Black	
SN	Satin Nickel	W	White	SN	Satin Nickel	
CP	Copper	MB	Black	CP	Copper	
BZ	Bronze	CP	Copper	CH	Chrome	
		SN	Satin Nickel	PB	Polish Brass	
				BZ	Bronze	

\*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.