


30

Super Trim™ AIR-TITE Trim

- Self Flanged Socket Supporting Trim with Torsion spring construction
- Accepts a wide range of lamps
- Makes installation Air-TITE regardless of housing used
- Lamps:

H7ICT	60W A19, 65W BR30,
H7ICAT	65W PAR38, 75W
H7RICT	PAR30, 75W R30, 75W
H7RICAT	PAR30L, 90W BR40

Height: 5" [127mm]	
OD: 7-1/4" [184mm]	



30HAT
White Trim with Haze Reflector

30RGAT
White Trim with Gold Reflector

30CAT
White Trim with Clear Specular Reflector

air-tite™




When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Tite 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK

30SBAT

Super Trim Self Flanged Reflector

- Black Specular Reflector and Trim
- Self Flanged Socket Supporting Trim with Torsion spring construction
- Accepts a wide range of lamps
- Makes installation Air-TITE regardless of housing used
- Lamps:

H7ICT	40W A19, 50W PAR30,
H7ICAT	50W PAR38, 65W BR30,
	75W PAR30L, 75W R30
H7RICT	40W A19, 45W BR30,
H7RICAT	50W PAR30, 50W PAR38,
	50W R30, 65W BR40,
	65W R40, 75W PAR30L

Height: 5" [127mm]	
OD: 7-1/4" [184mm]	



30SBAT
Black Specular Reflector

air-tite™




When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Tite 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK

404

Specular Reflector

- Full reflector for use with A-lamps.
- Can lip friction clip retention
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- Lamps:

H7ICT	60W A19
H7ICAT	
H7RICT	
H7RICAT	
H7RICAT	

Height: 5-1/4" [133mm]	
OD: 7-1/4" [184mm]	



404H
White Trim with Haze Reflector

404RG
White Trim with Gold Reflector

404SC
White Trim with Clear Specular Reflector



404TBZ
Tuscan Bronze Trim with
Tuscan Bronze Reflector

404AC
Antique Copper with Antique
Copper Reflector


404SN
Satin Nickel Trim with Satin
Nickel Reflector

4041

Self Flanged White Reflector

- Full reflector for use with A-lamps.
- Can lip friction clip retention
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- Lamps:

H7ICT	60W A19
H7ICAT	
H7RICT	
H7RICAT	
H7RICAT	

Height: 5-1/4" [133mm]	
OD: 7-1/4" [184mm]	




4041P
White Self Flanged Reflector

H7ICT H7ICAT H7RICT H7RICAT

30 Super Trim™ AIR-TITE™ Baffle

- Metal Baffle
- Self Flanged Socket Supporting Trim with Torsion spring construction
- Accepts a wide range of lamps
- Makes installation Air-TITE regardless of housing used
- Lamps:

H7ICT	40W A19, 65W BR30,
H7ICAT	75W R30, 75W PAR30,
H7RICT	75W PAR30L, 65W
H7RICAT	PAR38, 90W BR40



30WAT
White Trim, White Baffle, White Reflector

30WATH
White Trim, White Baffle, Clear Reflector

30PAT
White Trim, Black Baffle, Clear Reflector



30TBZAT
Tuscan Bronze Trim with Tuscan Bronze Baffle and Reflector

30ACAT
Antique Copper Trim, Antique Copper Baffle and Reflector

30SNAT
Satin Nickel Trim, Satin Nickel Baffle and Reflector


When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATRIM-6PK



310 Coilex™ Baffle

- Black or White Phenolic Baffle with Separate Trim Ring
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- * Coil Spring retention
- Lamps

H7ICT	45W PAR38, 50W PAR30, 65W BR30,
H7ICAT	75W R30,
H7RICT	75W PAR30L
H7RICAT	



310SN
Satin Nickel Trim with Black Baffle

310W
White Trim with White Baffle
(310WG
White Baffle Trim with 8" OD Trim Ring)

310P
White Trim with Black Baffle



H930
R/PAR lamp aiming accessory for 310 and 426 trims. Allows 30° tilt and 358° rotation. 50W PAR30 max.


310TBZ
Tuscan Bronze with Black Baffle

310AC
Antique Copper with Black Baffle

312 Coilex™ Baffle

- 312 baffle features smaller lamp opening to conceal interior view of housing when used with PAR lamps
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- * Coil Spring retention
- Lamps

H7ICT	50W PAR30, 65W BR30,
H7ICAT	75W PAR30L, 75W R30
H7RICT	
H7RICAT	




312W
White Trim with White Baffle

312P
White Trim with Black Baffle

30 Super Trim™ AIR-TITE Trim

- Self Flanged Socket Supporting Trim with Torsion spring construction
- Accepts a wide range of lamps
- Makes installation Air-TITE regardless of housing used
- Lamps:

H7ICTNB	60W A19, 65W BR30, 65W PAR38, 75W PAR30, 75W R30, 75W PAR30L, 90W BR40
H7ICATNB	



30HAT
White Trim with Haze Reflector

30RGAT
White Trim with Gold Reflector

30CAT
White Trim with Clear Specular Reflector




When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK

30SBAT Super Trim Self Flanged Reflector

- Black Specular Reflector and Trim
- Self Flanged Socket Supporting Trim with Torsion spring construction
- Accepts a wide range of lamps
- Makes installation Air-TITE regardless of housing used
- Lamps:

H7ICTNB	40W A19, 50W PAR30, 50W PAR38, 65W BR30, 75W PAR30L, 75W R30
H7ICATNB	



30SBAT
Black Specular Reflector




When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK

404 Specular Reflector

- Full reflector for use with A-lamps.
- Can lip friction clip retention
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- Lamps:

H7ICTNB	60W A19
H7ICATNB	



404H
White Trim with Haze Reflector

404RG
White Trim with Gold Reflector

404SC
White Trim with Clear Specular Reflector



404TBZ
Tuscan Bronze Trim with Tuscan Bronze Reflector


404AC
Antique Copper with Antique Copper Reflector

404SN
Satin Nickel Trim with Satin Nickel Reflector

4041 Self Flanged White Reflector

- Full reflector for use with A-lamps.
- Can lip friction clip retention
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- Lamps:

H7ICTNB	60W A19
H7ICATNB	



4041P
White Self Flanged Reflector


H7ICTNB H7ICATNB

30 Super Trim AIR-TITE Baffle

- Metal Baffle
- Self Flanged Socket Supporting Trim with Torsion spring construction
- Accepts a wide range of lamps
- Makes installation Air-TITE regardless of housing used
- Lamps:

H7ICTNB H7ICATNB	40W A19, 65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 65W PAR38, 90W BR40
-----------------------------------	--

Height:
5" [127mm]
OD:
7-1/4" [184mm]



30WAT
White Trim, White Baffle, White Reflector

30WATH
White Trim, White Baffle, Clear Reflector

30PAT
White Trim, Black Baffle, Clear Reflector



30TBZAT
Tuscan Bronze Trim with Tuscan Bronze Baffle and Reflector

30ACAT
Antique Copper Trim, Antique Copper Baffle and Reflector

30SNAT
Satin Nickel Trim, Satin Nickel Baffle and Reflector

When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK





74 - Eyeball - 30° Tilt

- Provides optimum position for PAR30 lamps
- Torsion Spring retention
- Lamps:

H7ICTNB H7ICATNB	75W PAR30
-----------------------------------	-----------

Aperture:
3-7/8" [98mm]
OD:
8" [203mm]




74P
White Trim and Eyeball

76 - Adjustable Gimbal

- For use with PAR38 lamps
- Includes adapter for side prong lamp
- 50° tilt with side prong lamp
- 30° tilt with screw base lamp
- Torsion Spring retention
- Lamps:

H7ICTNB H7ICATNB	45W PAR38 (Side Prong lamp recommended)
-----------------------------------	---

OD:
8" [203mm]




76P
White Trim with Gimbal Ring

77 Adjustable Eyeball - 30° Tilt

- For use with R20 and PAR20 lamps
- Torsion spring retention
- Lamps:

H7ICTNB H7ICATNB	50W PAR20, 75W R20
-----------------------------------	--------------------

Aperture:
2-3/4" [70mm]
OD:
8" [203mm]



77P
White Trim with White Eyeball

H7T

H7RT


H7TNB

30 - Super Trim™ AIR-TITE Trim

- Self Flanged Socket Supporting Trim with Torsion spring construction
- Accepts a wide range of lamps
- Makes installation Air-TITE regardless of housing used
- Lamps:

H7T H7TNB	75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 100W A19
H7RT	50W PAR30, 65W BR30, 75W R30, 75W PAR30L, 150W A21

Height:
5" [127mm]
OD:
7-1/4" [184mm]



30HAT
White Trim with Haze Reflector

30RGAT
White Trim with Gold Reflector

30CAT
White Trim with Clear Specular Reflector



When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK


30SBAT

Super Trim Self Flanged Reflector

- Black Specular Reflector and Trim
- Self Flanged Socket Supporting Trim with Torsion spring construction
- Accepts a wide range of lamps
- Makes installation Air-TITE regardless of housing used
- Lamps:

H7ICT H7ICAT	50W PAR30, 75W PAR30L, 100W R30, 85W BR30, 150W R40, 120W BR40, 100W A19, 150W PAR38, 150W A21
H7RT	50W PAR30, 765W BR30, 75W R30, 75W PAR30L, 150W A21

Height:
5" [127mm]
OD:
7-1/4" [184mm]



30SBAT
Black Specular Reflector



When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK


405

Specular Reflector

- Full reflector for use with A-lamps
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- Can lip friction clip retention
- Lamps:

H7T H7RT H7TNB	150W A21
---	----------

Height:
6" [152mm]
OD:
7-1/4" [184mm]



405CG
White Trim with Champagne Gold Reflector

405RG
White Trim with Gold Reflector

405SC
White Trim with Clear Specular Reflector



405H
White Trim with Haze Reflector


4051

Self Flanged White Reflector

- Full reflector for use with A-lamps.
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- Can lip friction clip retention
- Lamps:

H7T H7RT H7TNB	150W A21
---	----------

Height:
6" [152mm]
OD:
7-1/4" [184mm]



4051P
White Self Flanged Reflector

H7T

H7RT

H7TNB

30

Super Trim AIR-TITE Baffle

- Metal Baffle
- Self Flanged Socket Supporting Trim with Torsion spring construction
- Accepts a wide range of lamps
- Makes installation Air-TITE regardless of housing used
- Lamps:

H7T H7TNB	100W R30, 150W PAR38, 75W PAR30, 75W PAR30L, 85W BR30, 100W A19
H7RT	50W PAR30, 50W PAR30L, 100W R30, 85W BR30, 100W A19, 150W PAR38

Height: 5" [127mm]
OD: 7-1/4" [184mm]



30WAT
White Trim, White Baffle, White Reflector

30WATH
White Trim, White Baffle, Clear Specular Reflector

30PAT
White Trim, Black Baffle, Clear Specular Reflector



30TBZAT
Tuscan Bronze Trim with Tuscan Bronze Baffle and Reflector

30ACAT
Antique Copper Trim, Antique Copper Baffle and Reflector

30SNAT
Satin Nickel Trim, Satin Nickel Baffle and Reflector

When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATRIM-6PK



310

Coilex™ Baffle

- Black or White Phenolic Baffle with Separate Trim Ring
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- * Coil Spring retention
- Lamps

H7T	65W BR30, 75W R30, 75W PAR30
H7RT	65W BR30, 75W R30, 75W PAR30, 75W PAR30L

Height: 5" [127mm]
OD: 7-1/4" [184mm]



310SN
Satin Nickel Trim with Black Baffle

310W
White Trim with White Baffle

310P
White Trim with Black Baffle



H930
R/PAR lamp aiming accessory for 310 and 426 trims. Allows 30° tilt and 358° rotation. 50W PAR30, 65W BR30, 75W PAR30, 100W R30.



310TBZ
Tuscan Bronze with Black Baffle

310AC
Antique Copper with Black Baffle

312

Coilex™ Baffle

- 312 baffle features smaller lamp opening to conceal interior view of housing when used with PAR lamps
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- * Coil Spring retention
- Lamps

H7T H7RT	65W BR30, 75W PAR30, 75W PAR30L, 85W BR30
---------------------------	---

Height: 5" [127mm]
OD: 7-1/4" [184mm]



312W
White Trim with White Baffle

312P
White Trim with Black Baffle

410

Coilex™ Baffle

- For PAR38 and R40 lamps
- Lamps

H7T	150W PAR38, 120W BR40, 150W R40
H7RT	120W BR40, 150W R40

Height: 3" [76mm]
OD: 7-1/4" [184mm]




410W – White Trim with White Baffle
(410WG) – White Trim with White Baffle and 8" OD Trim Ring

410P
White Trim with Black Baffle

- 30 Super Trim™ AIR-TITE Trim**
- Self Flanged Socket Supporting Trim with Torsion spring construction
 - Accepts a wide range of lamps
 - Makes installation Air-TITE regardless of housing used
 - Lamps:

H7UICT H7UICAT	75W PAR30, 75W PAR30L, 100W R30, 100W A19, 100W PAR38
---------------------------	---




30HAT White Trim with Haze Reflector **30RGAT** White Trim with Gold Reflector **30CAT** White Trim with Clear Specular Reflector



When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Tite 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK

- 30SBAT Super Trim Self Flanged Reflector**
- Black Specular Reflector and Trim
 - Self Flanged Socket Supporting Trim with Torsion spring construction
 - Accepts a wide range of lamps
 - Makes installation Air-TITE regardless of housing used
 - Lamps:

H7UICT H7UICAT	100W R30, 85W BR30, 60W A19, 75W PAR30, 75W PAR30L, 75W PAR38
---------------------------	---




30SBAT Black Specular Reflector

When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Tite 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK



- 404 Specular Reflector**
- Full reflector for use with A-lamps.
 - Can lip friction clip retention
 - Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
 - Lamps:

H7UICT H7UICAT	100W A19
---------------------------	----------




404H White Trim with Haze Reflector **404RG** White Trim with Gold Reflector **404SC** White Trim with Clear Specular Reflector



404TBZ Tuscan Bronze Trim with Tuscan Bronze Reflector **404AC** Antique Copper with Antique Copper Reflector **404SN** Satin Nickel Trim with Satin Nickel Reflector

- 4041 Self Flanged White Reflector**
- Full reflector for use with A-lamps.
 - Can lip friction clip retention
 - Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
 - Lamps:

H7UICT H7UICAT	100W A19
---------------------------	----------




4041P White Self Flanged Reflector

30 Super Trim AIR-TITE Baffle

- Metal Baffle
- Self Flanged Socket Supporting Trim with Torsion spring construction
- Accepts a wide range of lamps
- Makes installation Air-TITE regardless of housing used
- Lamps:

H7UICT	75W PAR30, 75W PAR30L, 75W A19,
H7UICAT	85W BR30, 100W R30, 100W PAR38



30WAT
White Trim, White Baffle, White Reflector

30WATH
White Trim, White Baffle, Clear Reflector

30PAT
White Trim, Black Baffle, Clear Reflector



30TBZAT
Tuscan Bronze Trim with Tuscan Bronze Baffle and Reflector

30ACAT
Antique Copper Trim, Antique Copper Baffle and Reflector

30SNAT
Satin Nickel Trim, Satin Nickel Baffle and Reflector


When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK



310 Coilex™ Baffle

- Black or White Phenolic Baffle with Separate Trim Ring
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- * Coil Spring retention
- Lamps

H7UICT	65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40
H7UICAT	



310SN
Satin Nickel Trim with Black Baffle

310W
White Trim with White Baffle

310P
White Trim with Black Baffle




310TBZ
Tuscan Bronze with Black Baffle

310AC
Antique Copper with Black Baffle

312 - Coilex™ Baffle

- 312 baffle features smaller lamp opening to conceal interior view of housing when used with PAR lamps
- Accessories available: TRM6 designer trim rings, OT403 oversize trim ring
- Coil Spring retention
- Lamps



H7UICT	65W BR30, 75W R30, 75W PAR30L
H7UICAT	




312W
White Trim with White Baffle

312P
White Trim with Black Baffle

353 - Metal Baffle

- Metallic Finish Trim Rings and Baffles
- Coil Spring retention
- Lamps:

H7UICT	65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40
H7UICAT	



353TBZ
Tuscan Bronze Trim with Tuscan Bronze Baffle

353AC
Antique Copper Trim with Antique Copper Baffle

353SN
Satin Nickel Trim with Satin Nickel Baffle