

14017FO17T8MBP

PROMOLUX
THE SCIENCE OF FOOD SAFE LIGHTING

**FLUORESCENT AND
SPECIALTY LIGHTING
SYSTEMS FOR FRESH
FOOD DISPLAY CASES**





PLATINUM T5 LAMPS REGULAR / SAFETY COATED



Lamp Type	Part Number	Lamp Watts	Nominal Length		Diameter		Contact Pins	Avg Life Hrs	Box Qty
			(mm)	(in)	(mm)	(in)			
FOB T5	12508	8	280	12	16	5/8	Min.Bi-pin	24,000	12
F14 TS	12514	14	550	22	16	5/8	Min.Bi-pin	24,000	12
F21 T5	12521	21	850	34	16	5/8	Min.Bi-pin	24,000	12
F28 TS	12528	28	1150	46	16	5/8	Min.Bi-pin	24,000	12
F35 T5	12535	35	1450	58	16	5/8	Min.Bi-pin	24,000	12
F39 TS HO	12539	39	850	34	16	5/8	Min.Bi-pin	24,000	12
F54 T5 HO	12554	54	1150	46	16	5/8	Min.Bi-pin	24,000	12
FBO TS HO	12580	80	1450	58	16	5/8	Min.Bi-pin	24,000	12
FOB TS	C12508	8	280	12	16	5/8	Min.Bi-pin	24,000	12
F14 T5	C12514	14	550	22	16	5/8	Min.Bi-pin	24,000	12
F21 TS	C12521	21	850	34	16	5/8	Min.Bi-pin	24,000	12
F28 T5	C12528	28	1150	46	16	5/8	Min.Bi-pin	24,000	12
F35 TS	C12535	35	1450	58	16	5/8	Min.Bi-pin	24,000	12
F39 T5 HO	C12539	39	850	34	16	5/8	Min.Bi-pin	24,000	12
FS4 TS HO	C12554	54	1150	46	16	5/8	Min.Bi-pin	24,000	12
FBO T5 HO	C12580	80	1450	58	16	5/8	Min.Bi-pin	24,000	12

PROMOLUX PLATINUM T5 Lamps are ideal for gourmet and specialty food retailers looking to conserve energy while enjoying the best color rendering and illumination possible with a fluorescent lamp. PROMOLUX PLATINUM TS lamps are best suited for showcases merchandised with products which have a variety of colors and will benefit from a burst in product color and extended shelf life for uncompromised quality and freshness!



PLATINUM T8 LAMPS REGULAR UNCOATED



Lamp Type	Part Number	Lamp Watts	Nominal Length		Diameter		Contact Pins	Avg Life Hrs	Box Qty
			(mm)	(in)	(mm)	(in)			
FO17 T8	14017	17	600	24	26	1	MBP	24,000	25
FO25 T8	14025	25	900	36	26	1	MBP	24,000	25
FO32 T8	14032	32	1200	48	26	1	MBP	24,000	25
FO40 T8	14040	40	1500	60	26	1	MBP	24,000	25
FO96 T8	14096-4	59	2350	94	26	1	MBP	15,000	4
L13 T8	40100	13	300	12	26	1	MBP	10,000	12
L15 T8	40101	15	450	18	26	1	MBP	20,000	25
L18 T8	40102	18	600	24	26	1	MBP	20,000	25
L30 T8	40103	30	900	36	26	1	MBP	20,000	25
L36-1 T8	40104*	36	1000	39	26	1	MBP	20,000	25
L36 T8	40105	36	1200	48	26	1	MBP	20,000	25
L58 T8	40106	58	1500	60	26	1	MBP	20,000	25
F42 T8	13142	30	1050	40	26	1	SP	10,000	12
F54 T8	13154*	30	1350	54	26	1	SP	10,000	12
F64 T8	13164*	35	1600	64	26	1	SP	10,000	12
F72 T8	13172*	40	1800	72	26	1	SP	10,000	12

PROMOLUX PLATINUM TB Lamps provide exceptionally true and vivid color rendering of all products on display. Ideal for a variety of showcases where color and presentation are key such as meat, seafood, deli, bakery and floral cases.

*While quantities last; box sizes may vary.



PLATINUM T5 LAMPS SAFETY COATED



Lamp Type	Part Number	Lamp Watts	Nominal Length		Diameter		Contact Pins	Avg Life Hrs	Box Qty
			(mm)	(in)	(mm)	(in)			
FO17 T8	C14017	17	600	24	26	1	MBP	24,000	25
FO25 T8	C14025	25	900	36	26	1	MBP	24,000	25
FO32 T8	C14032	32	1200	48	26	1	MBP	24,000	25
FO40 T8	C14040	40	1500	60	26	1	MBP	24,000	25
FO96 T8	C14096-4	59	2350	94	26	1	MBP	15,000	4
L13 T8	C40100	13	300	12	26	1	MBP	10,000	12
L15 T8	C40101	15	450	18	26	1	MBP	20,000	25
L18 T8	C40102	18	600	24	26	1	MBP	20,000	25
L30 T8	C40103	30	900	36	26	1	MBP	20,000	25
L39 T8	C40104	36	1000	39	26	1	MBP	20,000	25
L36 T8	C40105	36	1200	48	26	1	MBP	20,000	25
L5B TB	C40106	58	1500	60	26	1	MBP	20,000	25
F42 TB	C13142	30	1050	40	26	1	SP	10,000	12
F54 TB	C13154	30	1350	54	26	1	SP	10,000	12
F64 TB	C13164	35	1600	64	26	1	SP	10,000	12
F72 TB	C13172	40	1800	72	26	1	SP	10,000	12

PROMOLUX PLATINUM TB Lamps provide unbeatable color rendering and product protection making them ideal for a variety of service and self serve display cases including fresh meat, seafood, deli, bakery (cake and fancy dessert cases with lots of color) and floral.

GOLD T5 & T8 LAMPS REGULAR UNCOATED



Lamp Type	Part Number	Lamp Watts	Nominal Length		Diameter		Contact Pins	Avg Life Hrs	Box Qty
			(mm)	(in)	(mm)	(in)			
FOB T5	15508	8	280	12	16	5/8	Min.Bi-pin	10,000	12
F14 TS	15514	14	550	22	16	5/8	Min.Bi-pin	20,000	12
F21 T5	15521	21	850	34	16	5/8	Min.Bi-pin	20,000	12
F28 TS	15528	28	1150	46	16	5/8	Min.Bi-pin	20,000	12
F35 T5	15535	35	1450	58	16	5/8	Min.Bi-pin	20,000	12
L1S TB	40201	15	450	18	26	1	MBP	20,000	12
L18 TB	40202	18	600	24	26	1	MBP	20,000	12
L30 TB	40203	30	900	36	26	1	MBP	20,000	12
L36-1 TB	40204	36	1000	39	26	1	MBP	20,000	12
L36 TB	40205	36	1200	48	26	1	MBP	20,000	12
LSB TB	40206	58	1500	60	26	1	MBP	20,000	12
FO17 TB	15017	17	600	24	26	1	MBP	20,000	12
FO25 TB	15025	25	900	36	26	1	MBP	20,000	12
FO32 TB	15032	32	1200	48	26	1	MBP	20,000	12
FO40 TB	15040	40	1500	60	26	1	MBP	20,000	12

PROMOLUX GOLD TS & TB Lamps are great for bringing a warmth and golden tones to a variety of showcases. T5 lamps are especially ideal for retailers looking to conserve energy. Great for bakery cases stocking artisanal breads, donuts, muffins and pastries where the golden, freshly baked look is most appealing to shoppers! May also be used in merchandising chicken and assorted deli products that are yellow in color.

GOLD T5 & T8 LAMPS SAFETY COATED



Lamp Type	Part Number	Lamp Watts	Nominal Length		Diameter		Contact Pins	Avg Life Hrs	Box Qty
			(mm)	(in)	(mm)	(in)			
F08 T5	C15508	8	280	12	16	5/8	Min.Bi-pin	10,000	12
F14 T5	C15514	14	550	22	16	5/8	Min.Bi-pin	20,000	12
F21 T5	C15521	21	850	34	16	5/8	Min.Bi-pin	20,000	12
F28 T5	C15528	28	1150	46	16	5/8	Min.Bi-pin	20,000	12
F35 T5	C15535	35	1450	58	16	5/8	Min.Bi-pin	20,000	12
L15 TB	C40201	15	450	18	26	1	MBP	20,000	12
L18 TB	C40202	18	600	24	26	1	MBP	20,000	12
L30 TB	C40203	30	900	36	26	1	MBP	20,000	12
L39 TB	C40204	36	1000	39	26	1	MBP	20,000	12
L36 TB	C40205	36	1200	48	26	1	MBP	20,000	12
L58 TB	C40206	58	1500	60	26	1	MBP	20,000	12
FO17 TB	C15017	17	600	24	26	1	MBP	20,000	12
FO25 TB	C15025	25	900	36	26	1	MBP	20,000	12
FO32 TB	C15032	32	1200	48	26	1	MBP	20,000	12
FO40 TB	C15040	40	1500	60	26	1	MBP	20,000	12

PROMOLUX GOLD T5 & TS Lamps provide warm ambient tones which is especially ideal for golden baked goods such as artisanal breads, donuts and flaky pastries. A must have for bakery shops and patisseries.



PLATINUM T12 LAMPS REGULAR UNCOATED



Lamp Type	Part Number	Lamp Watts	Nominal Length		Diameter		Contact Pins	Avg Life Hrs	Box Qty
			(mm)	(in)	(mm)	(in)			
F20 T12	11020	20	600	24	38	1 1/2	MBP	10,000	12
F30 T12	11030	30	900	36	38	1 1/2	MBP	20,000	12
F40 T12	11040	40	1200	48	38	1 1/2	MBP	20,000	25
F48 T12 SL	11048	40	1150	46	38	1 1/2	SP	10,000	12
F60 T12 SL	11060-4*	50	1500	60	38	1 1/2	SP	12,000	4
F72 T12 SL	11072-4	55	1800	72	38	1 1/2	SP	12,000	4
F96 T12 SL	11096-4	75	2400	96	38	1 1/2	SP	18,000	4
F48 T12 HO	11148	60	1150	46	38	1 1/2	RDC	10,000	12
F60 T12 HO	11160*	75	1500	60	38	1 1/2	RDC	12,000	12
F72 T12 HO	11172-4	85	1800	72	38	1 1/2	RDC	12,000	4
F96 T12 HO	11196-4	110	2400	96	38	1 1/2	RDC	12,000	4

PROMOLUX PLATINUM T12 Lamps are most commonly found as overhead lighting in meat departments and in older display cases. In addition, older low temp (freezer) cases were typically installed with high output (HO) lamps).

*While quantities last; box sizes may vary.



PLATINUM T12 LAMPS SAFETY COATED



Lamp Type	Part Number	Lamp Watts	Nominal Length		Diameter		Contact Pins	Avg Life Hrs	Box Qty
			(mm)	(in)	(mm)	(in)			
F20 T12	C11020	20	600	24	38	1 1/2	MBP	10,000	12
F30 T12	C11030	30	900	36	38	1 1/2	MBP	20,000	12
F40 T12	C11040	40	1200	48	38	1 1/2	MBP	20,000	25
F48 T12 SL	C11048	40	1150	46	38	1 1/2	SP	10,000	12
F60 T12 SL	C11060*	50	1500	60	38	1 1/2	SP	12,000	12
F72 T12 SL	C11072-4	55	1800	72	38	1 1/2	SP	12,000	4
F96 T12 SL	C11096-4	75	2400	96	38	1 1/2	SP	18,000	4
F48 T12 HO	C11148*	60	1150	46	38	1 1/2	RDC	10,000	12
F60 T12 HO	C11160*	75	1500	60	38	1 1/2	RDC	12,000	12
F72 T12 HO	C11172-4	85	1800	72	38	1 1/2	RDC	12,000	4
F96 T12 HO	C11196-4	110	2400	96	38	1 1/2	RDC	12,000	4

PROMOLUX PLATINUM T12 Lamps are typically found in older cases especially in the 3ft and 4ft variety. They are also commonly used as overhead lighting in meat departments. The high output (HO) lamps are most often used in many older upright low temp (freezer) cases.

*While quantities last; box sizes may vary.



PLATINUM & GOLD SPECIALTY LAMPS REGULAR / SAFETY COATED



Lamp Type	Part Number	Lamp Watts	Nominal Length		Diameter		Contact Pins	Avg Life Hrs	Box Qty
			(mm)	(in)	(mm)	(in)			
TRACK LIGHTING - COMPACT FLUORESCENTS									
PLL40 Platinum	44040	40	533	21	44	1 3/4	4-pin G211	24,000	10
PLL40 Gold	48040	40	533	21	44	1 3/4	4-pin G211	24,000	10
PLL40 Platinum	C44040	40	533	21	44	1 3/4	4-pin G211	24,000	10
PLL40 Gold	C48040	40	533	21	44	1 3/4	4-pin G211	24,000	10

Lamp Type	Part Number	Lamp Watts	Diameter		Contact Pins	Avg Life Hrs	Box Qty
			(mm)	(in)			
INCANDESCENTS - A21, MR16 HALOGENS, R95							
MR16 3500K	46010	50	50	2	GU5.3	6,000	20
MR16 4000K	46030	50	50	2	GU5.3	6,000	20
MR16 4200K	46031	50	50	2	GU5.3	6,000	20
R95	46130	100	76	3	E26	5,000	20
R95	47130	150	76	3	E26	5,000	20
R95	46130T	100	76	3	E26	5,000	20
R95	47130T	150	76	3	E26	5,000	20
A21	45100T	100	68	2 5/8	E26	5,000	100

PROMOLUX SPECIALTY Lamps are ideal for illuminating departments and adding another dimension for overhead and spotlighting areas that are in close proximity to sensitive food displays. The real emphasis should be on the display showcase but by including compact fluorescents or spot lights in a stores design, retailers benefit from further protection for their perrishables while gaining amazing color in the merchandising of their departments.



SPECIALTY DISPLAY CASE LIGHTING FOR MERCHANDISING FRESH FOODS



TO ORDER BY PHONE:

**CALL US TOLL FREE IN NORTH AMERICA AT 1-800-519-1222
OTHERWISE PLEASE CALL US AT +1 (250) 743-1222**

TO ORDER BY FAX:

**IN NORTH AMERICA FAX YOUR PURCHASE ORDER TO 1-888-417-1221
OTHERWISE FAX YOUR PURCHASE ORDER TO +1 (250) 743-1221**

TO ORDER BY EMAIL:

SEND YOUR LAMP REQUIREMENTS TO INFO@PROMOLUX.COM



**PROMOLUX LIGHTING INTERNATIONAL
PO BOX 40
Shawnigan Lake, BC
Canada, VOR 2W1**

**www.promolux.com
www.mgvinc.com**

PROMOLUX Lamps in many conditions will exceed their rated "Average Life." Please call to confirm availability and minimum box quantities. Shipments are FOB Washington State, USA.